

Publications on Peripheral Artery Disease and Interventions Authored by MMI's Experts

Our vascular surgeons, interventionalists, radiologists, and imaging scientists have published extensively on peripheral vascular imaging and interventions, including novel treatments for PAD above and below the knee. A sample bibliography is featured below. A full bibliography is available upon request.

- Brodmann M, Wissgott C, Brechtel K, Nikol S, Zeller T, Lichtenberg M, Blessing E, Gray W; TOBA III Investigators. **Optimized drug-coated balloon angioplasty of the superficial femoral and proximal popliteal arteries using the Tack Endovascular System: TOBA III 12-month results.** *J Vasc Surg* 2020
- Adams G, Shammam N, Mangalmurti S, Bernardo NL, Miller WE, Soukas PA, Parikh SA, Armstrong EJ, Tepe G, Lansky A, Gray WA. **Intravascular Lithotripsy for Treatment of Calcified Lower Extremity Arterial Stenosis: Initial Analysis of the Disrupt PAD III Study.** *J Endovasc Ther* 2020
- Golzar J, Soga Y, Babaev A, Iida O, Kawasaki D, Bachinsky W, Park J, Prem JT, Vermassen F, Diaz-Cartelle J, Müller-Hülsbeck S, Gray WA. **Effectiveness and Safety of a Paclitaxel-Eluting Stent for Superficial Femoral Artery Lesions up to 190 mm: One-Year Outcomes of the Single-Arm IMPERIAL Long Lesion Substudy of the Eluvia Drug-Eluting Stent.** *J Endovasc Ther* 2020; 27(2):296-303
- Dinh K, Gomes ML, Thomas SD, Paravastu SCV, Holden A, Schneider PA, Varcoe RL. **Mortality After Paclitaxel-Coated Device Use in Patients With Chronic Limb-Threatening Ischemia: A Systematic Review and Meta-Analysis of Randomized Controlled Trials.** *J Endovasc Ther* 2020
- Elmariah S, Ansel GM, Brodmann M, Doros G, Fuller S, Gray WA, Pinto DS, Rosenfield KA, Mauri L. **Design and rationale of a randomized noninferiority trial to evaluate the SurVeil drug-coated balloon in subjects with stenotic lesions of the femoropopliteal artery - the TRANSCEND study.** *Am Heart J* 2019; 209:88-96
- Gray WA, Cardenas JA, Brodmann M, Werner M, Bernardo NI, George JC, Lansky A. **Treating Post-Angioplasty Dissection in the Femoropopliteal Arteries Using the Tack Endovascular System: 12-Month Results From the TOBA II Study.** *JACC Cardiovasc Interv* 2019; 12(23):2375-2384
- Gray WA, Olin JW. **Pushing Pause on the Paclitaxel Debate: Applying Appropriate Scientific Inquiry and Publication Processes to Inform Clinical Decision-Making.** *J Am Coll Cardiol* 2019; 73(21):2775-2779
- Shishehbor MH, Schneider PA, Zeller T, Razavi MK, Laird JR, Wang H, Tieché C, Parikh SA, Iida O, Jaff MR. **Total IN.PACT drug-coated balloon initiative reporting pooled imaging and propensity-matched cohorts.** *J Vasc Surg* 2019; 70(4):1177-1191.e9
- Armstrong E, Brodmann M, Deaton D, Gray W, Jaff M, Lichtenberg M, Rundback J, Schneider P. **Dissections After Infrainguinal Percutaneous Transluminal Angioplasty: A Systematic Review and Current State of Clinical Evidence.** *J Endovasc Ther* 2019; 26(4):479-489
- Holden A, Varcoe RL, Jaff MR, Schneider PA, Tepe G, Zeller T. **Paclitaxel and Mortality: The Dose Argument Is Critical.** *J Endovasc Ther* 2019; 26(4):467-470
- Conte MS, Bradbury AW, Kolh P, *et al.* **Global vascular guidelines on the management of chronic limb-threatening ischemia.** *J Vasc Surg* 2019; 69(6S):3S-125S.e40
- Mustapha JA, Saab FA, Clair D, Schneider P. **Interim Results of the PROMISE I Trial to Investigate the LimFlow System of Percutaneous Deep Vein Arterialization for the Treatment of Critical Limb Ischemia.** *J Invasive Cardiol* 2019; 31(3):57-63
- Schneider PA, Laird JR, Doros G, Gao Q, Ansel G, Brodman M, Micari A, Shishehbor MH, Tepe G, Zeller T. **Mortality Not Correlated with Paclitaxel Exposure: An Independent Patient-Level Meta-Analysis of a Drug-Coated Balloon.** *Journal of the American College of Cardiology* 2019; 73(20): 2550-63
- Laird JA, Schneider PA, Jaff MR, Brodmann M, Zeller T, Metzger DC, Krishnan P, Scheinert D, Micari A, Wang H, Masters M, Tepe G. **Long-Term Clinical Effectiveness of a Drug-Coated Balloon for the Treatment of Femoropopliteal Lesions: Five-Year Outcomes From the IN.PACT SFA Randomized Trial.** *Circulation: Cardiovascular Interventions* 2019; 12:e

- Mustapha JA, Saab FA, Clair D, Schneider P. **Interim Results of the PROMISE I Trial to Investigate the LimFlow System of Percutaneous Deep Vein Arterialization for the Treatment of Critical Limb Ischemia.** *J Invasive Cardiol* 2019; 31(3):57-63
- Gray WA, Cardenas J, Brodmann M, *et al.* **Treating Post-Angioplasty Dissection in the Femoropopliteal Arteries Using the Tack Endovascular System: 12-Month Results From the TOBA II Study.** *JACC: Cardiovasc Interv* 2019; 12(23):2375-84
- Mustapha J, Gray W, Martinsen BJ, Bolduan RW, Adams GL, Ansel G, Jaff MR. **One-Year Results of the LIBERTY 360 Study: Evaluation of Acute and Midterm Clinical Outcomes of Peripheral Endovascular Device Interventions.** *J Endovasc Ther* 2019; 26(2):143-154
- Gray W, Jaff M, Parikh S, *et al.* **Mortality Assessment of Paclitaxel-Coated Balloons: Patient-Level Meta-Analysis of the ILLUMENATE Clinical Program at 3 Years.** *Circulation* 2019; 140(14):1145-1155
- Shammass NW, Pucillo A, Jenkins JS, Garcia LA, Davis T, Aronow HD, Armstrong EJ, Zeller T, Scheinert D, Rosenschein U, Gray W. **WIRION Embolic Protection System in Lower Extremity Arterial Interventions: Results of the Pivotal WISE LE Trial.** *JACC Cardiovasc Interv* 2018; 11(19):1995-2003
- Brodmann M, Wissgott C, Holden A, Staff R, Zeller T, Vasudevan T, Schneider P. **Treatment of infrapopliteal post-PTA dissection with tack implants: 12-month results from the TOBA-BTK study.** *Catheter Cardiovasc Interv* 2018; 92:96-10
- Schneider PA, Zeller T, Scheinert D, *et al.* **Treatment Effect of Drug-Coated Balloons Is Durable to 3 Years in the Femoropopliteal Arteries: Long-Term Results of the IN.PACT SFA Randomized Trial.** *Circ Cardiovasc Interv* 2018; 11(1):e005891
- Gray W, Kierse K, Soga Y, *et al.* **A Polymer-coated, Paclitaxel-eluting Stent (Eluvia) versus a Polymer-free, Paclitaxel-coated Stent (Zilver PTX) for Endovascular Femoropopliteal Intervention (IMPERIAL): A Randomised, Non-inferiority Trial.** *The Lancet* 2018; 392(10157):1541-1551
- Laird JR, Zeller T, Loewe C, Chamberlin J, Begg R, Schneider PA, *et al.* **Novel Nitinol Stent for Lesions up to 24 cm in the Superficial Femoral and Proximal Popliteal Arteries: 24-Month Results from the TIGRIS Randomized Trial.** *J Endovasc Ther* 2018; 25(1):68-78
- Schneider PA, Laird JR, Tepe G, Brodmann M, Zeller T, Scheinert D, Metzger C, Micari A, Sachar R, Jaff MR, Wang H, Hasenback MS, Krishnan P. **Treatment Effect of Drug-Coated Balloon Is Durable to 3 Years in the Femoropopliteal Arteries: Long-Term Results of the IN.PACT SFA Randomized Trial.** *Circ Cardiovasc Interv* 2018; 11:e005891
- Bunte M, Cohen D, Jaff M, Gray W, Magnuson H, *et al.* **Long-term Clinical and Quality of Life Outcomes after Stenting of Femoropopliteal Artery Stenosis: 3-year Results from the STROLL Study.** *Catheter Cardiovasc Interv* 2018; 92(1):106-114
- Singh J, Lumsden A B, Shah DJ, *et al.* **Patient-specific Flow Descriptors and Normalised Wall index in Peripheral Artery Disease: a Preliminary Study.** *Comput Methods Biomech Biomed Eng Imaging Vis* 2018; 6(2):119-127
- Altit R, Gray WA. **New Innovations in Drug-Eluting Stents for Peripheral Arterial Disease.** *Curr Cardiol Reports* 2017; 19(11):117
- Rocha-Singh KJ, Beckman JA, Ansel G, Lyden SP, Schneider P, Mehta M, Dake M, Mullin CM, Jaff MR. **Patient-level Meta-analysis of 999 Claudicants Undergoing Primary Femoropopliteal Nitinol Stent Implantation.** *Catheter Cardiovasc Interv* 2017; 89(7):1250-1256
- Schneider PA. **Evolution and Current Use of Technology for Superficial Femoral and Popliteal Artery Interventions for Claudication.** *J Vasc Surg* 2017; 66(3):916-923
- Davies MG, El-Sayed HF. **Outcomes of Native Superficial Femoral Artery Chronic Total Occlusion Recanalization After Failed Femoropopliteal Bypass.** *J Vasc Surg* 2017; 65(3):726-733
- Yin D, Maehara A, Shimshak T, Ricotta J, Ramaiah V, Foster M, Davis T, Matsumura M, Mintz G, Gray W. **Intravascular Ultrasound Validation of Contemporary Angiographic Scores Evaluating the Severity of Calcification in Peripheral Arteries.** *J Endovascular Therapy* 2017; 24(4):478-487
- Cortese B, Granada JF, Scheller B, Schneider PA, *et al.* **Drug-coated Balloon Treatment for Lower Extremity Vascular Disease Intervention: An International Positioning Document.** *Eur Heart J* 2016; 37(14):1096-1103
- Kim TI, Schneider PA. **Bare Metal Stenting of the Iliac Arteries.** *J Cardiovasc Surg (Torino)* 2016; 57(3):325-35
- Adams GL, Mustapha J, Gray W, Hargus NJ, Martinsen BJ, Ansel G, Jaff MR. **The LIBERTY Study: Design of a Prospective, Observational, Multi-center Trial to Evaluate the Acute and Long-term Clinical and Economic Outcomes of Real-world Endovascular Device Interventions in Treating Peripheral Artery Disease.** *Am Heart J* 2016; 174:14-21

- Zhou W, Bush RL, Lin PH, Peden EK, Lumsden AB. **Laser Atherectomy for Lower Extremity Revascularization: An Adjunctive Endovascular Treatment Option.** *Vascular and Endovascular Surgery* 2016; 40(4):268-274
- Pavo N, Samaha E, *et al.* **Coating of Intravascular Balloon with Paclitaxel Prevents Constrictive Remodeling of the Dilated Porcine Femoral Artery Due to Inhibition of Intimal and Media Fibrosis.** *J Mater Sci Mater Med* 2016; 27:131
- Kamran H, Lumsden AB, *et al.* **Magnetic Resonance Venous Volume Measurements in Peripheral Artery Disease (from ELIMIT).** *Am J Cardiol* 2016; 118(9):1399-1404
- Schneider PA. **The Future of Vascular Surgery.** *J Vasc Surg* 2015; 61(5):1357-65
- Laird JR, Schneider PA, Tepe G, Brodmann M, *et al.* **Durability of Treatment Effect Using a Drug-Coated Balloon for Femoropopliteal Lesions: 24-Month Results of IN.PACT SFA.** *J Am Coll Cardiol* 2015; 66(21):2329-2338
- Tepe G, Laird J, Schneider P, Brodmann M, Krishnan P, Micari A, Metzger C, Scheinert D, Zeller T, Cohen DJ, Snead DB, *et al.* **Drug-coated Balloon Versus Standard Percutaneous Transluminal Angioplasty for the Treatment of Superficial Femoral and Popliteal Peripheral Artery Disease: 12-month Results from the IN.PACT SFA Randomized Trial.** *Circ* 2015; 131(5):495-502
- Maehara A, Mintz GS, Shimshak TM, Ricotta JJ, Ramaiah V, Foster TM, Davis TP, Gray WA. **Intravascular Ultrasound Evaluation of JETSTREAM Atherectomy Removal of Superficial Calcium in Peripheral Arteries.** *EuroIntervention* 2015; 11:96-103
- Lumsden AB, Morrissey NJ. **Randomized Controlled Trial Comparing the Safety and Efficacy between the FUSION BIOLINE Heparin-Coated Vascular Graft and the Standard Expanded Polytetrafluoroethylene Graft for Femoropopliteal Bypass.** *J Vasc Surg* 2015; 61(3):703-712
- Schneider PA, Giasolli R, Ebner A, Virmani R, Granada JF. **Early Experimental and Clinical Experience with a Focal Implant for Lower Extremity Post-angioplasty Dissection.** *JACC Cardiovasc Interv* 2015; 8(2):347-354
- Patel MR, Conte MS, Cutlip DE, Dib N, Geraghty P, Gray W, *et al.* **Evaluation and Treatment of Patients with Lower Extremity Peripheral Artery Disease: Consensus Definitions from Peripheral Academic Research Consortium (PARC).** *J Am Coll Cardiol* 2015; 65(9):931-941
- Smollock CJ, El-Sayed HF, Davies MG. **Outcomes of Femoropopliteal Interventions for Critical Ischemia in the Hemodialysis-Dependent Patient.** *Ann Vasc Surg* 2015; 29(2):237-243
- Schneider PA, Giasolli R, Ebner A, Virmani R, Granada JF. **Early Experimental and Clinical Experience with a Focal Implant for Lower Extremity Post-Angioplasty Dissection.** *JACC Cardiovasc Interv* 2015; 8(2):347-354
- Adams G, Mustapha J, Ansel G, Gray W. **Next Steps to Collecting More Data for Peripheral Vascular Patients: A Continued Discussion Regarding Rigorous Scientific Data.** *Vascular Disease Management* 2014; 11(2)
- Brunner G, Yang EY, Kumar A, Sun W, Virani SS, Negi SI, Murray T, Lin PH, Hoogeveen RC, Chen C, Dong JF, Kougias P, Taylor A, Lumsden AB, Nambi V, Ballantyne CM, Morrisett JD. **The Effect of Lipid Modification on Peripheral Artery Disease after Endovascular Intervention Trial (ELIMIT).** *Atherosclerosis* 2013; 231
- Smollock CJ, Anaya-Ayala JE, Kaufman Y, Bavare CS, Pate MS, El-Sayed HF, Lumsden AB, Davies MG. **Current Efficacy of Open and Endovascular Interventions for Advanced SFA Occlusive Disease.** *J Vasc Surg* 2013; 58(5):1267-1275
- Kougias P. **Innovative Technologies for SFA Management.** *J Cardiovasc Surg (Torino)* 2013; 54(4):431-2
- Bismuth J, Duran C, Stankovic M, Gersak B, Lumsden AB. **A First-in-Man Study of the Role of Flexible Robotics in Overcoming Navigation Challenges in the Iliofemoral Arteries.** *J Vasc Surg* 2013; 57(2 Suppl):14S-9S
- Smollock CJ, Anaya-Ayala JE, El-Sayed HF, Naoum JJ, Lumsden AB, Davies MG. **Clinical Efficacy of Concomitant Tibial Interventions Associated with Superficial Femoral Artery Interventions in CLI.** *J Vasc Surg* 2013; 57(1):19-27
- Duran C, Bismuth J. **Endovascular Femoropopliteal Interventions: Evolving Devices.** In: *Inflammatory Response in Cardiovascular Surgery*. Springer-Verlag London. 2013. p. 221-227
- Schneider PA, Caps MT, Nelken N. **Re-entry to the True Lumen from the Subintimal Space.** *J Vasc Surg* 2013; 58:529-34
- Gonzalez L, Chen A, Lin PH, Pisimisis G, Barshes NR, Bechara CF, Kougias P. **Latest Recanalization Techniques for Complex Superficial Femoral Artery Occlusions.** *J Cardiovasc Surg (Torino)* 2012; 53(4):487-94
- Smollock CJ, Anaya-Ayala JE, Bismuth J, Naoum JJ, El-Sayed HF, Peden EK, Lumsden AB, Davies MG. **Impact of Metabolic Syndrome on the Outcomes of Superficial Femoral Artery Interventions.** *J Vasc Surg* 2012; 55, 4

- Ansel GM, Schneider PA. **The Role of Drug-Coated Balloons in Infrapopliteal Intervention.** *J Interven Cardiol* 2012; 7(1):63-5
- Poi MJ, Pisimisis G, Barshes NR, Lin PH, Koungias P, Bechara CF. **Percutaneous Profunda Femoris Artery Revascularization to Prevent Hip Disarticulation: Case Series and Review of the Literature.** *Am J Surg* 2012; 204(5):649-54
- Pedrajas FG, Cafasso DE, Schneider PA. **Endovascular Therapy: Is It Effective in the Diabetic Limb?** *Semin Vasc Surg* 2012; 25(2):93-101
- Rocha-Singh KJ, Jaff M, Joye J, Laird J, Ansel G, Schneider PA, VIVA Physicians. **Major Adverse Limb Events and Wound Healing Following Infrapopliteal Artery Stent Implantation in Patients with Critical Limb Ischemia: the XCELL Trial.** *Catheterization Cardiovascular Interventions* 2012; 80:1042-51
- Iafrafi MD, Hallett JW, Geils G, Pearl G, Lumsden A, Peden E, Bandyk D, Vijayaraghava KS, Radhakrishnan R., Ascher E., Hingorani A, Roddy S. **Early Results and Lessons Learned from a Multicenter, Randomized, Double-blind Trial of Bone Marrow Aspirate Concentrate in Critical Limb Ischemia.** *Journal of Vascular Surgery* 2011; 54(6):1650-1658
- Saunders J, Nambi, Lumsden AB, *et al.* **Variability and Persistence of Aspirin Response in Lower Extremity Peripheral Arterial Disease Patients.** *J Vasc Surg* 2011; 53(3):668-675
- Brown R, Karmonik C, Brunner G, Lumsden A, Ballantyne C, Johnson S, Wang Y, Morrisett J. **Simultaneous Bilateral Magnetic Resonance Imaging of the Femoral Arteries in Peripheral Arterial Disease Patients.** *JMRI* 2011; 34(1):150-156
- Davies MG, Bismuth J, Saad WE, Naoum JJ, Peden EK, Lumsden AB. **Outcomes of Reintervention for Recurrent Disease After Percutaneous Iliac Angioplasty and Stenting.** *J Endo Ther* 2011; 18(2):169-180
- Lin PH, Weakley SM, Koungias P. **How to interpret Data from the Superficial Femoral Artery Stenting Trials and Registries.** *Semin Vasc Surg* 2010; 23(3):138-47
- Davies MG, Bismuth J, Saad WE, Naoum JJ, Peden EK, Lumsden AB. **Outcomes of interventions for Recurrent Disease After Endoluminal Intervention for Superficial Femoral Artery Disease.** *J Vasc Surg* 2010; 52(2): 331-9:e1-2
- Davies MG, Bismuth J, Saad WE, Naoum JJ, Mohiuddin IT, Peden EK, Lumsden AB. **Implications of In Situ Thrombosis and Distal Embolization During Superficial Femoral Artery Endoluminal Intervention.** *Ann Vas Surg* 2010; 24:14-22
- Bismuth J, Karmonik C, Kleiman N, Valderrábano M, Lumsden AB. **Future Imaging and Guidance for Endovascular Procedures.** In: *Peripheral Endovascular Interventions*. Springer New York, 2010. p. 479-492
- Bismuth J, Donovan MA, O'Malley MK, El Sayed HF, Naoum JJ, Peden EK, Davies MG, Lumsden AB. **Incorporating Simulation in Vascular Surgery Education.** *J Vasc Surg* 2010; 52(4):1072-80
- Lumsden AB, Das TS. **Second Symposium on Endovascular Management of Infringuinal Disease.** *J Endovasc Ther* 2009; 16(2 Suppl 2):111-4
- Lumsden AB, Davies MG, Peden EK. **Medical and Endovascular Management of Critical Limb Ischemia.** *J Endovasc Ther* 2009; 16(2 Suppl 2):1131-62
- Koungias P, Chen A, Cagiannos C, Bechara CF, *et al.* **Subintimal Placement of Covered Stent Versus Subintimal Balloon Angioplasty in the Treatment of Long-segment Superficial Femoral Artery Occlusion.** *Am J Surg* 2009; 198(5):645-9
- Nambi V, Kimball KT, Bray PF, Bergeron AL, Johnson SL, Morrisett JD, Chen C, Lin PH, Lumsden AB, Ballantyne CM, Dong JF. **Differences in Responses of Platelets to Fluid Shear Stress in Patients with Peripheral Artery Disease (PAD) and Coronary Artery Disease (CAD).** *Platelets* 2009; 20(3):199-205
- Ansel GM, Lumsden AB. **Evolving Modalities for Femoropopliteal Interventions.** *J Endo Ther* 2009; 16(2 Suppl 2):1182-97
- Davies MG, Saad WE, Peden EK, Mohiuddin IT, Naoum JJ, Lumsden AB. **Impact of Runoff on Superficial Femoral Artery Endoluminal Interventions for Rest Pain and Tissue Loss.** *J Vasc Surg* 2008; 48(3):619-25
- Davies MG, Saad WE, Peden EK., Mohiuddin IT, Naoum JJ, Lumsden AB. **Percutaneous Superficial Femoral Artery Interventions for Claudication - Does Runoff Matter?** *Ann Vasc Surg* 2008; 22(6):790-798
- Schneider PA, Caps MT, Nelken N. **Infrainguinal Vein Graft Stenosis: Cutting Balloon Angioplasty as the First-line Treatment of Choice.** *J Vasc Surg* 2008; 47(5):960-6; discussion 966
- Lumsden AB, Rice TW, *et al.* **Peripheral Arterial Occlusive Disease: Magnetic Resonance Imaging and the Role of Aggressive Medical Management.** *World Journal of Surgery* 2007; 31(4):695-704

- Peter Lin, Firas Mussa, Nasim Hedayati, Joseph J Naoum, Wei Zhou, Qizhi Yao, Panagiotis Kougiyas, Hosam El Sayed, Changyi Chen. **Comparison of AngioJet Rheolytic Pharmacomechanical Thrombectomy versus AngioJet Rheolytic Thrombectomy in a Porcine Peripheral Arterial Model.** *World Journal of Surgery*2007
- Grossman PM, Mendelsohn F, *et al.* **Results from a Phase II Multicenter, Double-Blind Placebo-Controlled Study of Del-1 (VLTS-589) for Intermittent Claudication in Subjects with Peripheral Arterial Disease.** *Am Heart J*2007; 153(5):874-880
- Lumsden AB, Lin PH, Bush RL, Chen C. Endovascular Therapy: Principals of Peripheral Interventions. Lumsden A, Lin PH, Bush R, Chen C. (Eds). Blackwell Publishing 2006
- Zhou W, Lin PH, Bush RL, Lumsden AB. **Endovascular Training of Vascular Surgeons: Have We Made Progress?** *S Vas Surg* 2006; 19(2): 122-6.
- Lumsden AB, Das TS. **Endovascular Management of Infrainguinal Disease.** *J Endovas Ther*2006;13 Suppl 2:II1-2
- Lumsden AB, Rice TW. **Medical Management of Peripheral Arterial Disease: a Therapeutic Algorithm.** *J Endovas Ther*2006; 13 Suppl 2:II19-29.
- Das TS, Beregi JP, Garcia LA, Abul-Khoudoud O, Laird JR, Lumsden AB, Lyden SP, Mewissen MW, Shimshak TM. **Infrainguinal Lesion-Specific Device Choices: Round-Table Discussion.** *J Endo Ther*2006; (13)SUPPL 2
- Zhou W, Guerrero MA, Lumsden AB. **Lower Extremity Arterial Disease.** In: Endovascular Therapy: Principles of Peripheral Interventions. Lumsden A, Lin PH, Bush R, Chen C. (Eds). Blackwell Publishing. 2006. p. 186-205
- Kougiyas P, Chai H, Lin PH, Yao Q, Lumsden AB, Chen C. **Effects of Adipocyte-derived Cytokines on Endothelial Functions: Implication of Vascular Disease.** *J Surg Res*2005; 126(1):121-9
- Adams GJ, Baltazar U, Karmonik C, Bordelon C, Lin PH, Bush RL, Lumsden AB, Morrisett JD. **Comparison of 15 Different Stents in Superficial Femoral Arteries by High Resolution MRI Ex Vivo and In Vivo.** *JMRI* 2005; 22(1):125-135
- Nelken N, Schneider PA. **Advances In Stent Technology and Drug-Eluting Stents.** *Surg Clin N Am*2004; 84:1203-1236
- Kasirajan K, Schneider PA. **Early Outcome of "Cutting" Balloon Angioplasty for Infrainguinal Vein Graft Stenosis.** *J Vasc Surg* 2004; 39(4):702-8
- Schneider PA. **Iliac Angioplasty and Stenting in Association with Infrainguinal Bypasses: Timing and Techniques.** *Semin Vasc Surg*2003; 16(4):291-9
- Lin PH, Chronos NA, Marijianowski MM, Chen C, Bush RL, Conklin B, Lumsden AB, Hanson SR. **Heparin-coated Balloon-Expandable Stent Reduces Intimal Hyperplasia in the Iliac Artery in Baboons.** *J Vasc Interv Radiol*2003; 14(5):603-611
- Schneider PA, Abcarian PW, Leduc JR, Ogawa DY. **Stent-Graft Repair of Mycotic Superficial Femoral Artery Aneurysm.** *Ann Vasc Surg*1998; 12:282-287
- Treiman GS, Schneider PA, Lawrence PF, Pevec WC, Bush RL, Ichikawa L. **Does Stent Placement Improve the Results of Ineffective or Complicated Iliac Artery Angioplasty?** *J Vasc Surg*1998; 28:104-114
- Schneider PA, Ogawa DY, Rush MR. **Lower Extremity Revascularization Without Contrast Arteriography: Operation Based Upon Duplex Is Feasible.** *Cardiovasc Surg*1998; 7:699-703
- Lumsden AB, MacDonald MJ, Chen C. **Restenosis in Peripheral Vascular Disease.** In: Vascular Brachytherapy. Waksman R, King SB, Crocker IR, Mould RF (Eds). Nucletron B.V., Veenendaal, The Netherlands. 1996. p. 258-265.
- Salam TA, Lumsden AB, *et al.* **Low Shear Stress Promotes Intimal Hyperplasia Thickening.** *J Vasc Inter*1996; 2(1):12-2
- Lumsden AB, Colborn GL, Skandalakis LJ, Dodson TF, Gray SW, Skandalakis JE. **Surgical Anatomy of the Deep Femoral Artery.** In: Surgery of the Deep Femoral Artery. Merlini MP, van Dongen RJAM, Dusmet M (Eds). Springer-Verlag, Paris. 1995. p. 1-21